

 **REGENT**
LIGHTING



LUNIGO

Built to last,
designed to inspire.

PEOPLE LIGHT OUR WAY


LUNIGO

Consistently beautiful,
versatile in use.

LUNIGO combines advanced lighting technology with robust construction and sophisticated design. The shatterproof real glass cover, high-quality aluminium housing and high IP and IK protection make it ideal for extreme indoor and outdoor conditions. Homogeneous light distribution ensures excellent quality of light. At the same time, **LUNIGO** makes a discreet, elegant design statement. Whether in the home, in commercial applications or in public spaces – **LUNIGO** sets new standards in lighting quality and aesthetics.

Design, made for eternity

The minimalist design of **LUNIGO** fits seamlessly into modern architecture. The die-cast aluminium housing impresses with its elegant appearance and long service life. Available in white or black, it allows for versatile design. The real glass cover is impact and scratch-resistant and emphasises the high-quality character.





Light for every environment

LUNIGO is extremely versatile: with IP65 and IK06, it is ideal for indoor and outdoor areas.

Its robust design and long service life make it a reliable solution for a wide range of locations.

Intuitive configuration

The light colour 3'000 K or 4'000 K can be easily selected via DIP switch during installation.

With the On/Off version, the brightness can also be set to 550 lm, 1'200 lm or 2'400 lm.

Ideal for individual lighting concepts.



read the full story:



LUNIGO

Product range overview

Diameter
240 mm
Housing colour
Black or white
Materialisation
Glass + Aluminium
Luminous flux
On/Off: 550 lm, 1'200 lm 2'400 lm [DIP Switch] Dali: 2'400 lm
Colour temperature
3'000 K / 4'000 K [DIP Switch]
Lighting control
ON/OFF, DALI2
Shock resistance / IP protection
IK06 / IP65
Application
Indoor and outdoor areas



For more information, please visit www.regent.ch/en/lunigo
#peoplelightourway



Subject to technical modifications.
Regent assumes no liability for printing errors.